

FILE 'BIOSIS, HCAPLUS' ENTERED AT 15:13:03 ON 06 FEB 2003

L1	41670 S FLUORESCEIN
L2	524626 S EMIT OR EMISSION
L3	14420 S CYANINE
L4	1237 S TEXAS RED
L5	333 S L1 (7A) L2
L6	206777 S WAVELENGTH
L7	9031 S L2 (2A) L6
L8	18 S L7 (5A) L1
L9	15 DUP REM L8 (3 DUPLICATES REMOVED)
L10	6 S L7 (5A) L3
L11	4 DUP REM L10 (2 DUPLICATES REMOVED)
L12	2 S L7 (5A) L4

L13 ANSWER 24 OF 27 HCAPLUS COPYRIGHT 2003 ACS
AB A rapid and sensitive homogeneous assay method has been developed for the
detn. of subtilisin. The method employs a protein **substrate**
labeled with two fluorescent dyes with fluorescence energy
transfer (FET) characteristics. The doubly-**labeled**
substrate was prepd. by chem. coupling bovine serum albumin with
lucifer yellow and **rhodamine** dyes. The fluorescence emission
from the lucifer labels was initially quenched due to the FET to the
adjacent **rhodamine** labels. However, upon the addn. of
subtilisin into the **labeled substrate** soln., increased
fluorescence was obsd. as the enzyme hydrolyzed the substrate and reduced
the FET effect. The rate of increase in fluorescence due to substrate
hydrolysis was used to calibrate the subtilisin assay. It was linear over
the range 0-150 ng of the enzyme ($r^2=0.985$). The assay was fast with a
time of 30 s to exceed the limit of detection (LOD) signal for 60 ng of
subtilisin in 600 μ l. In this vol., the LOD for the enzyme was 4.2 ng
(99% confidence).
AN 1996:616420 HCAPLUS
DN 125:268804
TI A rapid homogeneous fluorescence assay for subtilisin
AU Tang, Lian X.; Rowell, Frederick J.; Cumming, Robert H.
CS Sch. Health Sci., Univ. Sunderland, Sunderland, SR1 3SD, UK
SO Analytical Letters (1996), 29(12), 2085-2095
CODEN: ANALBP; ISSN: 0003-2719
PB Dekker
DT Journal
LA English

L13 ANSWER 10 OF 27 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
 AB The kinetics of PaeR7 endonuclease-catalyzed cleavage reactions of fluorophor-labeled oligonucleotide **substrates** have been examined using fluorescence resonance energy transfer (FRET). A series of duplex substrates were synthesized with an internal CTCGAG PaeR7 recognition site and donor (fluorescein) and acceptor (**rhodamine**) dyes conjugated to the opposing 5' termini. The time-dependent increase in donor fluorescence resulting from restriction cleavage of these substrates was continuously monitored and the initial rate data was fitted to the Michaelis-Menten equation. The steady state kinetic parameters for these substrates were in agreement with the rate constants obtained from a gel electrophoresis-based fixed time point assay using radiolabeled substrates. The FRET method provides a rapid continuous assay as well as high sensitivity and reproducibility. These features should make the technique useful for the study of DNA-cleaving enzymes.

AN 1994:448298 BIOSIS
 DN PREV199497461298
 TI Real time kinetics of restriction endonuclease cleavage monitored by fluorescence resonance energy transfer.
 AU Ghosh, Soumitra S.; Eis, Peggy S.; Blumeyer, Kirsten; Fearon, Kim; Millar, David P. (1)
 CS (1) Cripps Res. Inst., La Jolla, CA 92037 USA
 SO Nucleic Acids Research, (1994) Vol. 22, No. 15, pp. 3155-3159.
 ISSN: 0305-1048.
 DT Article
 LA English

FILE 'BIOSIS, HCAPLUS' ENTERED AT 15:19:04 ON 06 FEB 2003

L1 1062661 S SUBSTRATE
L2 76357 S FLUORESCEIN OR RHODAMINE OR CYANINE
L3 1237 S TEXAS RED
L4 26571 S ?RHODAMINE
L5 49830 S ?FLUORESCEIN
L6 14420 S CYANINE
L7 7 S L1 (7A) L3
L8 6 DUP REM L7 (1 DUPLICATE REMOVED)
L9 485 S L1 (7A) L4
L10 9817 S LABEL? (7A) L1
L11 60 S L10 (P) L4
L12 41 DUP REM L11 (19 DUPLICATES REMOVED)
L13 27 S L12 NOT PY>1999
L14 216 S L10 (P) L5
L15 204 S L14 NOT L11
L16 203 S L15 NOT L7
L17 154 S L16 NOT PY>1999
L18 101 DUP REM L17 (53 DUPLICATES REMOVED)
L19 717851 S DUAL OR DOUBLE OR HOMO
L20 5 S L19 (P) L14
L21 4 DUP REM L20 (1 DUPLICATE REMOVED)
L22 9 S L10 (P) L6
L23 7 DUP REM L22 (2 DUPLICATES REMOVED)
L24 5 S L23 NOT L11

L Number	Hits	Search Text	DB	Time stamp
1	1520630	substrate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 15:32
2	1110514	dual or double or homo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 15:32
3	159674	label	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 15:32
4	221041	fluoresc\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 15:32
5	15137	(dual or double or homo) near5 label	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 15:32
6	373	substrate same ((dual or double or homo) near5 label)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 15:33
7	0	(substrate same ((dual or double or homo) near5 label)) same fluoresc\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 15:33
8	15	(substrate same ((dual or double or homo) near5 label)) same dye	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/06 15:36